

Clinical Measures for Nursing Homes in Bristol County
Alphabetical by Town and Nursing Home
July – September, 2004

	% of Long-Term Residents with:											% of Short-Term Residents with:		
	Help with Daily Activities	Moderate to Severe Pain	High Risk Residents with Pressure Ulcers	Low Risk Residents with Pressure Ulcers	Physically Restrained	Depressed or Anxious	Loss of Bowel/Bladder Control	Bladder Catheter	Bed/chair Bound	Mobility	Urinary Tract Infection	Acute Confusion (Delirium)	Moderate to Severe Pain	Pressure Ulcers
Bristol														
Metacom Manor Health Ctr	11% ♦♦	2% ♦♦	11% ♦♦	4% ♦♦	4% ♦♦	23% ♦	53% ♦	6% ♦♦	0% ♦♦♦	13% ♦♦	6% ♦♦	N/A	N/A	N/A
Rhode Island Veterans Home	X	X	X	X	X	X	X	X	X	X	X	X	X	X
Silver Creek Manor	25% ♦	5% ♦♦	14% ♦♦	9% ♦	4% ♦♦	5% ♦♦♦	48% ♦♦	6% ♦♦	3% ♦♦	23% ♦	11% ♦♦	0% ♦♦♦	23% ♦♦	N/A
Warren														
Crestwood Nursing & Conv Home	13% ♦♦	4% ♦♦	N/A	0% ♦♦♦	0% ♦♦♦	13% ♦♦	56% ♦	4% ♦♦	2% ♦♦	13% ♦♦	12% ♦♦	N/A	N/A	N/A
Desilets Nursing Home Inc	5% ♦♦♦	5% ♦♦	N/A	N/A	6% ♦♦	8% ♦♦	N/A	3% ♦♦	0% ♦♦♦	N/A	3% ♦♦	0% ♦♦♦	3% ♦♦♦	22% ♦♦
Grace Barker Nursing Ctr	5% ♦♦♦	1% ♦♦	N/A	0% ♦♦♦	0% ♦♦♦	8% ♦♦	38% ♦♦	2% ♦♦	0% ♦♦♦	3% ♦♦♦	11% ♦♦	N/A	N/A	N/A
State Average	13%	4%	15%	3%	4%	12%	41%	5%	2%	11%	10%	4%	22%	24%
National Average	15%	6%	13%	3%	7%	15%	47%	6%	4%	12%	9%	3%	23%	19%

Note: Diamonds are assigned based on a nursing home's rate compared to other RI nursing homes for that measure.

♦♦♦ Among top 15% of RI nursing homes

♦♦ Among middle 70% of RI nursing homes

♦ Among lower 15% of RI nursing homes

N/A Too few residents to report rate

X Clinical measure information not required from this nursing home

M Data missing

Clinical Measures for Nursing Homes in Kent County
Alphabetical by Town and Nursing Home
July – September, 2004

	% of Long-Term Residents with:											% of Short-Term Residents with:		
	Help with Daily Activities	Moderate to Severe Pain	High Risk Residents with Pressure Ulcers	Low Risk Residents with Pressure Ulcers	Physically Restrained	Depressed or Anxious	Loss of Bowel/Bladder Control	Bladder Catheter	Bed/chair Bound	Mobility	Urinary Tract Infection	Acute Confusion (Delirium)	Moderate to Severe Pain	Pressure Ulcers
Coventry														
Alpine Nursing Home Inc	10% ♦♦	0% ♦♦♦	N/A	6% ♦♦	26% ♦	4% ♦♦♦	51% ♦♦	0% ♦♦♦	0% ♦♦♦	4% ♦♦♦	15% ♦♦	N/A	N/A	N/A
Brookside Villa	17% ♦♦	5% ♦♦	14% ♦♦	0% ♦♦♦	22% ♦	6% ♦♦♦	48% ♦♦	5% ♦♦	2% ♦♦	11% ♦♦	14% ♦♦	5% ♦♦	32% ♦	24% ♦♦
Laurel Healthcare Center	9% ♦♦	5% ♦♦	N/A	N/A	0% ♦♦♦	13% ♦♦	49% ♦♦	6% ♦♦	4% ♦♦	5% ♦♦	9% ♦♦	N/A	N/A	N/A
Riverview Healthcare Community	16% ♦♦	3% ♦♦	13% ♦♦	5% ♦♦	5% ♦♦	7% ♦♦	35% ♦♦	9% ♦	2% ♦♦	22% ♦	11% ♦♦	5% ♦♦	21% ♦♦	11% ♦♦♦
Woodpecker Hill	N/A	0% ♦♦♦	N/A	N/A	0% ♦♦♦	18% ♦♦	N/A	4% ♦♦	0% ♦♦♦	N/A	6% ♦♦	N/A	N/A	N/A
East Greenwich														
St. Elizabeth Home	11% ♦♦	3% ♦♦	16% ♦♦	3% ♦♦	0% ♦♦♦	11% ♦♦	36% ♦♦	3% ♦♦	2% ♦♦	11% ♦♦	4% ♦♦♦	N/A	N/A	N/A
Warwick														
Avalon Nursing Home Inc.	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Brentwood Nursing Home Inc	17% ♦♦	2% ♦♦	18% ♦♦	5% ♦♦	5% ♦♦	3% ♦♦♦	40% ♦♦	4% ♦♦	5% ♦	11% ♦♦	8% ♦♦	0% ♦♦♦	30% ♦♦	32% ♦♦
Harborside/Greenwood House Nursing Home	15% ♦♦	4% ♦♦	14% ♦♦	0% ♦♦♦	1% ♦♦	11% ♦♦	53% ♦	8% ♦♦	1% ♦♦	11% ♦♦	14% ♦♦	0% ♦♦♦	27% ♦♦	10% ♦♦♦
Harborside/Pawtuxet Village Nursing Home	15% ♦♦	4% ♦♦	18% ♦♦	0% ♦♦♦	3% ♦♦	17% ♦♦	48% ♦♦	4% ♦♦	3% ♦♦	11% ♦♦	9% ♦♦	2% ♦♦	25% ♦♦	23% ♦♦
Kent Regency	17% ♦♦	3% ♦♦	10% ♦♦	3% ♦♦	3% ♦♦	15% ♦♦	53% ♦	5% ♦♦	1% ♦♦	21% ♦	13% ♦♦	0% ♦♦♦	24% ♦♦	41% ♦
Sunny View Nursing Home	18% ♦♦	0% ♦♦♦	N/A	N/A	2% ♦♦	9% ♦♦	31% ♦♦	0% ♦♦♦	0% ♦♦♦	15% ♦♦	6% ♦♦	N/A	N/A	N/A
West Shore Health Center	16% ♦♦	4% ♦♦	12% ♦♦	1% ♦♦	6% ♦♦	7% ♦♦	36% ♦♦	0% ♦♦♦	3% ♦♦	7% ♦♦	4% ♦♦♦	2% ♦♦	16% ♦♦	17% ♦♦
West Warwick														
West View Nursing Home	10% ♦♦	1% ♦♦♦	23% ♦♦	4% ♦♦	1% ♦♦	6% ♦♦♦	53% ♦	6% ♦♦	5% ♦	12% ♦♦	14% ♦♦	3% ♦♦	6% ♦♦♦	28% ♦♦
State Average	13%	4%	15%	3%	4%	12%	41%	5%	2%	11%	10%	4%	22%	24%
National Average	15%	6%	13%	3%	7%	15%	47%	6%	4%	12%	9%	3%	23%	19%

Note: Diamonds are assigned based on a nursing home's rate compared to other RI nursing homes for that measure.

♦♦♦ Among top 15% of RI nursing homes

♦♦ Among middle 70% of RI nursing homes

♦ Among lower 15% of RI nursing homes

N/A Too few residents to report rate

X Clinical measure information not required from this nursing home

M Data missing

Clinical Measures for Nursing Homes in Newport County
Alphabetical by Town and Nursing Home
July – September, 2004

	% of Long-Term Residents with:											% of Short-Term Residents with:		
	Help with Daily Activities	Moderate to Severe Pain	High Risk Residents with Pressure Ulcers	Low Risk Residents with Pressure Ulcers	Physically Restrained	Depressed or Anxious	Loss of Bowel/Bladder Control	Bladder Catheter	Bed/chair Bound	Mobility	Urinary Tract Infection	Acute Confusion (Delirium)	Moderate to Severe Pain	Pressure Ulcers
Middletown														
Forest Farm Health Care Ctr	12% ♦♦	2% ♦♦	N/A	N/A	6% ♦♦	11% ♦♦	N/A	8% ♦♦	3% ♦♦	N/A	6% ♦♦	0% ♦♦♦	0% ♦♦♦	25% ♦♦
Grand Islander Health Care Ctr	19% ♦♦	4% ♦♦	8% ♦♦	3% ♦♦	15% ♦	16% ♦♦	48% ♦♦	4% ♦♦	0% ♦♦♦	14% ♦♦	9% ♦♦	2% ♦♦	24% ♦♦	37% ♦
John Clarke Retirement Ctr	4% ♦♦♦	2% ♦♦	3% ♦♦♦	N/A	9% ♦	7% ♦♦	60% ♦	11% ♦	2% ♦♦	2% ♦♦♦	5% ♦♦	N/A	N/A	N/A
Newport														
Heatherwood Nsg & Rehab	11% ♦♦	4% ♦♦	23% ♦♦	N/A	0% ♦♦♦	25% ♦	57% ♦	5% ♦♦	3% ♦♦	14% ♦♦	4% ♦♦	9% ♦♦	20% ♦♦	33% ♦
Newport Hospital dba Vanderbilt Rehab Ctr	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2% ♦♦	36% ♦	18% ♦♦
St Clares Home for the Aged	25% ♦	5% ♦♦	N/A	N/A	0% ♦♦♦	29% ♦	N/A	0% ♦♦♦	5% ♦♦	N/A	13% ♦♦	N/A	N/A	N/A
Village House	11% ♦♦	4% ♦♦	N/A	3% ♦♦	3% ♦♦	9% ♦♦	46% ♦♦	3% ♦♦	0% ♦♦♦	7% ♦♦	6% ♦♦	N/A	N/A	N/A
Tiverton														
Sakonet Bay	X	X	X	X	X	X	X	X	X	X	X	X	X	X
State Average	13%	4%	15%	3%	4%	12%	41%	5%	2%	11%	10%	4%	22%	24%
National Average	15%	6%	13%	3%	7%	15%	47%	6%	4%	12%	9%	3%	23%	19%

Note: Diamonds are assigned based on a nursing home's rate compared to other RI nursing homes for that measure.

♦♦♦ Among top 15% of RI nursing homes

♦♦ Among middle 70% of RI nursing homes

♦ Among lower 15% of RI nursing homes

N/A Too few residents to report rate

X Clinical measure information not required from this nursing home

M Data missing

Clinical Measures for Nursing Homes in Providence County
Alphabetical by Town and Nursing Home
July – September, 2004

	% of Long-Term Residents with:											% of Short-Term Residents with:		
	Help with Daily Activities	Moderate to Severe Pain	High Risk Residents with Pressure Ulcers	Low Risk Residents with Pressure Ulcers	Physically Restrained	Depressed or Anxious	Loss of Bowel/Bladder Control	Bladder Catheter	Bed/chair Bound	Mobility	Urinary Tract Infection	Acute Confusion (Delirium)	Moderate to Severe Pain	Pressure Ulcers
Burrillville														
Bayberry Commons Inc	15% ♦♦	3% ♦♦	19% ♦♦	6% ♦♦	8% ♦	11% ♦♦	32% ♦♦	2% ♦♦	1% ♦♦	12% ♦♦	14% ♦♦	9% ♦♦	7% ♦♦♦	17% ♦♦
Overlook Nursing Home	6% ♦♦♦	2% ♦♦	5% ♦♦♦	0% ♦♦♦	1% ♦♦	3% ♦♦♦	29% ♦♦♦	3% ♦♦	0% ♦♦♦	12% ♦♦	7% ♦♦	13% ♦	22% ♦♦	18% ♦♦
Pine Grove Health Center	11% ♦♦	1% ♦♦	15% ♦♦	N/A	9% ♦	12% ♦♦	39% ♦♦	13% ♦	2% ♦♦	6% ♦♦	13% ♦♦	4% ♦♦	10% ♦♦	N/A
Central Falls														
Harris Health Care Center - North	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Mansion	4% ♦♦♦	0% ♦♦♦	N/A	2% ♦♦	0% ♦♦♦	7% ♦♦	23% ♦♦♦	2% ♦♦	0% ♦♦♦	2% ♦♦♦	0% ♦♦♦	N/A	N/A	N/A
Cranston														
Cedar Crest Nursing Ctr	16% ♦♦	7% ♦♦	8% ♦♦	0% ♦♦♦	0% ♦♦♦	12% ♦♦	49% ♦♦	6% ♦♦	1% ♦♦	16% ♦♦	13% ♦♦	3% ♦♦	30% ♦♦	22% ♦♦
Cra-Mar	13% ♦♦	0% ♦♦♦	N/A	N/A	3% ♦♦	18% ♦♦	33% ♦♦	6% ♦♦	3% ♦♦	N/A	13% ♦♦	N/A	N/A	N/A
Scandinavian Home Inc	6% ♦♦♦	2% ♦♦	N/A	2% ♦♦	3% ♦♦	6% ♦♦	38% ♦♦	8% ♦♦	1% ♦♦	1% ♦♦♦	6% ♦♦	N/A	N/A	N/A
Cumberland														
Emerald Bay Manor	X	X	X	X	X	X	X	X	X	X	X	X	X	X
Grandview Nursing Home Inc	13% ♦♦	0% ♦♦♦	3% ♦♦♦	N/A	13% ♦	5% ♦♦	50% ♦♦	0% ♦♦♦	0% ♦♦♦	11% ♦♦	2% ♦♦♦	N/A	29% ♦♦	N/A
Mt St Rita Health	16% ♦♦	11% ♦	25% ♦♦	12% ♦	0% ♦♦♦	18% ♦♦	38% ♦♦	5% ♦♦	9% ♦	15% ♦♦	7% ♦♦	N/A	N/A	N/A
East Providence														
Eastgate Nursing-Recovery	16% ♦♦	11% ♦	N/A	5% ♦♦	0% ♦♦♦	6% ♦♦	46% ♦♦	9% ♦♦	2% ♦♦	7% ♦♦	19% ♦	N/A	N/A	N/A
Evergreen House Health Center	26% ♦	6% ♦♦	8% ♦♦	2% ♦♦	2% ♦♦	16% ♦♦	36% ♦♦	3% ♦♦	3% ♦♦	28% ♦	9% ♦♦	10% ♦	27% ♦♦	22% ♦♦
Harris Health Center	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Hattie Ide Chaffee Home	18% ♦♦	2% ♦♦	10% ♦♦	N/A	0% ♦♦♦	24% ♦	44% ♦♦	4% ♦♦	2% ♦♦	23% ♦	10% ♦♦	0% ♦♦♦	14% ♦♦	29% ♦♦
Health Havens Nursing & Rehab	10% ♦♦	4% ♦♦	10% ♦♦	N/A	2% ♦♦	4% ♦♦	53% ♦♦	6% ♦♦	0% ♦♦♦	N/A	6% ♦♦	N/A	N/A	N/A
Linn Health Care Ctr	5% ♦♦♦	13% ♦	N/A	9% ♦	0% ♦♦♦	15% ♦♦	35% ♦♦	5% ♦♦	0% ♦♦♦	3% ♦♦♦	12% ♦♦	0% ♦♦♦	52% ♦	N/A
Orchard View Manor Nurs/Rehab	18% ♦♦	4% ♦♦	28% ♦	6% ♦♦	0% ♦♦♦	15% ♦♦	34% ♦♦	9% ♦	2% ♦♦	12% ♦♦	13% ♦♦	9% ♦♦	17% ♦♦	22% ♦♦
Riverside Nursing Home	M	M	M	M	M	M	M	M	M	M	M	M	M	M
Waterview Villa	14% ♦♦	2% ♦♦	6% ♦♦♦	0% ♦♦♦	15% ♦	4% ♦♦♦	47% ♦♦	5% ♦♦	2% ♦♦	11% ♦♦	13% ♦♦	0% ♦♦♦	26% ♦♦	24% ♦♦

Clinical Measures for Nursing Homes in Providence County
Alphabetical by Town and Nursing Home
July – September, 2004

	% of Long-Term Residents with:											% of Short-Term Residents with:		
	Help with Daily Activities	Moderate to Severe Pain	High Risk Residents with Pressure Ulcers	Low Risk Residents with Pressure Ulcers	Physically Restrained	Depressed or Anxious	Loss of Bowel/Bladder Control	Bladder Catheter	Bed/chair Bound	Mobility	Urinary Tract Infection	Acute Confusion (Delirium)	Moderate to Severe Pain	Pressure Ulcers
Foster														
Nancy Ann Nursing Home, Inc.	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	M	M	M
Greenville														
Cortland Place	4% ♦♦♦	5% ♦♦	15% ♦♦	0% ♦♦♦	10% ♦	10% ♦♦	55% ♦	2% ♦♦	0% ♦♦♦	10% ♦♦	7% ♦♦	N/A	N/A	N/A
Village At Waterman	X	X	X	X	X	X	X	X	X	X	X	X	X	X
Wildflowers Health Care	11% ♦♦	1% ♦♦♦	29% ♦	5% ♦♦	3% ♦♦	6% ♦♦♦	44% ♦♦	12% ♦	0% ♦♦♦	9% ♦♦	19% ♦	2% ♦♦	0% ♦♦♦	9% ♦♦♦
Johnston														
Briarcliffe Healthcare Fac	12% ♦♦	6% ♦♦		4% ♦♦	6% ♦♦	9% ♦♦	24% ♦♦♦	0% ♦♦♦	5% ♦	14% ♦♦	5% ♦♦	4% ♦♦	27% ♦♦	20% ♦♦
Cherry Hill Manor	29% ♦	1% ♦♦	23% ♦♦	2% ♦♦	0% ♦♦♦	19% ♦	39% ♦♦	7% ♦♦	5% ♦	21% ♦	10% ♦♦	5% ♦♦	26% ♦♦	26% ♦♦
Morgan Health Center	11% ♦♦	3% ♦♦	5% ♦♦♦	2% ♦♦	0% ♦♦♦	11% ♦♦	35% ♦♦	9% ♦♦	0% ♦♦♦	10% ♦♦	20% ♦	11% ♦	9% ♦♦♦	23% ♦♦
Lincoln														
Holiday Retirement Home Inc	11% ♦♦	6% ♦♦	14% ♦♦	1% ♦♦	1% ♦♦	12% ♦♦	32% ♦♦♦	5% ♦♦	0% ♦♦♦	9% ♦♦	16% ♦	0% ♦♦♦	27% ♦♦	22% ♦♦
North Providence														
Golden Crest Nursing Ctr	13% ♦♦	4% ♦♦	29% ♦	6% ♦♦	0% ♦♦♦	18% ♦	61% ♦	2% ♦♦♦	3% ♦♦	12% ♦♦	21% ♦	0% ♦♦♦	13% ♦♦	24% ♦♦
Hopkins Manor Ltd	15% ♦♦	3% ♦♦	20% ♦♦	4% ♦♦	5% ♦♦	8% ♦♦	43% ♦♦	3% ♦♦	1% ♦♦	12% ♦♦	11% ♦♦	10% ♦♦	12% ♦♦	20% ♦♦
North Scituate														
Harris Manor At Chopmist Hill	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
North Smithfield														
St Antoine Residence	11% ♦♦	5% ♦♦	8% ♦♦♦	4% ♦♦	7% ♦	14% ♦♦	40% ♦♦	4% ♦♦	1% ♦♦	11% ♦♦	7% ♦♦	6% ♦♦	25% ♦♦	32% ♦♦
Woodland Convalescent Center	22% ♦	N/A	N/A	N/A	N/A	13% ♦♦	N/A	N/A	N/A	18% ♦♦	N/A	N/A	N/A	N/A
Pawtucket														
Jeanne Jugan Residence	8% ♦♦	3% ♦♦	N/A	N/A	5% ♦♦	21% ♦	17% ♦♦♦	3% ♦♦	0% ♦♦♦	6% ♦♦	7% ♦♦	N/A	N/A	N/A
Oak Hill Nursing and Rehab Ctr	17% ♦♦	3% ♦♦	21% ♦♦	0% ♦♦♦	4% ♦♦	11% ♦♦	39% ♦♦	5% ♦♦	2% ♦♦	13% ♦♦	11% ♦♦	5% ♦♦	18% ♦♦	28% ♦♦
Slater Health Center Inc	16% ♦♦	3% ♦♦	15% ♦♦	7% ♦♦	3% ♦♦	21% ♦	48% ♦♦	5% ♦♦	4% ♦♦	11% ♦♦	11% ♦♦	5% ♦♦	30% ♦♦	25% ♦♦

Clinical Measures for Nursing Homes in Providence County
Alphabetical by Town and Nursing Home
July – September, 2004

	% of Long-Term Residents with:											% of Short-Term Residents with:		
	Help with Daily Activities	Moderate to Severe Pain	High Risk Residents with Pressure Ulcers	Low Risk Residents with Pressure Ulcers	Physically Restrained	Depressed or Anxious	Loss of Bowel/Bladder Control	Bladder Catheter	Bed/chair Bound	Mobility	Urinary Tract Infection	Acute Confusion (Delirium)	Moderate to Severe Pain	Pressure Ulcers
Providence														
Bannister Nursing Care Center	6% ♦♦♦	1% ♦♦	N/A	4% ♦♦	0% ♦♦♦	12% ♦♦	11% ♦♦♦	3% ♦♦	0% ♦♦♦	5% ♦♦	0% ♦♦♦	N/A	N/A	N/A
Bay Tower Nursing Center	5% ♦♦♦	2% ♦♦	N/A	2% ♦♦	18% ♦	14% ♦♦	18% ♦♦♦	6% ♦♦	0% ♦♦♦	2% ♦♦♦	6% ♦♦	N/A	N/A	N/A
Berkshire Place	9% ♦♦	4% ♦♦	12% ♦♦	3% ♦♦	9% ♦	9% ♦♦	43% ♦♦	2% ♦♦	3% ♦♦	6% ♦♦	8% ♦♦	8% ♦♦	29% ♦♦	21% ♦♦
Bethany Home of RI	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Charlesgate Nursing Center	17% ♦♦	1% ♦♦♦	8% ♦♦	0% ♦♦♦	4% ♦♦	20% ♦	44% ♦♦	4% ♦♦	1% ♦♦	11% ♦♦	1% ♦♦♦	9% ♦♦	0% ♦♦♦	15% ♦♦
Elmhurst Extended Care Fac	18% ♦♦	7% ♦	15% ♦♦	0% ♦♦♦	1% ♦♦	12% ♦♦	49% ♦♦	7% ♦♦	6% ♦	13% ♦♦	9% ♦♦	3% ♦♦	23% ♦♦	19% ♦♦
Elmwood Health Center	11% ♦♦	10% ♦	N/A	0% ♦♦♦	7% ♦♦	15% ♦♦	31% ♦♦	6% ♦♦	4% ♦♦	5% ♦♦	7% ♦♦	N/A	N/A	N/A
Epoch Senior Health Care	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1% ♦♦	26% ♦♦	25% ♦♦
Hallworth House	N/A	2% ♦♦	N/A	N/A	0% ♦♦♦	N/A	45% ♦♦	3% ♦♦	0% ♦♦♦	N/A	11% ♦♦	N/A	N/A	N/A
Hillside Health Center	M	M	M	M	M	M	M	M	M	M	M	M	M	M
Home & Hospice Care of RI	X	X	X	X	X	X	X	X	X	X	X	X	X	X
Park View Nursing Home	3% ♦♦♦	5% ♦♦	N/A	2% ♦♦	0% ♦♦♦	2% ♦♦♦	32% ♦♦	15% ♦	5% ♦♦	2% ♦♦♦	8% ♦♦	N/A	N/A	N/A
Roger Williams Hosp	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	4% ♦♦	59% ♦	15% ♦♦♦
Rosewood Manor Ltd	20% ♦	5% ♦♦	24% ♦♦	8% ♦	4% ♦♦	6% ♦♦	36% ♦♦	5% ♦♦	1% ♦♦	14% ♦♦	6% ♦♦	3% ♦♦	35% ♦	N/A
St Joseph Hosp. Spec. Care	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2% ♦♦	25% ♦♦	44% ♦
Steere House Nurs/Rehab Ctr	12% ♦♦	5% ♦♦	6% ♦♦	2% ♦♦	7% ♦♦	21% ♦	26% ♦♦♦	2% ♦♦♦	0% ♦♦♦	9% ♦♦	15% ♦♦	6% ♦♦	15% ♦♦	25% ♦♦
Summit Medical Center, Inc	M	M	M	M	M	M	M	M	M	M	M	N/A	N/A	N/A
Tavares Pediatric	X	X	X	X	X	X	X	X	X	X	X	X	X	X
Tockwotton Home	N/A	2% ♦♦	N/A	N/A	0% ♦♦♦	23% ♦	N/A	2% ♦♦	5% ♦♦	N/A	15% ♦♦	N/A	N/A	N/A

Clinical Measures for Nursing Homes in Providence County
Alphabetical by Town and Nursing Home
July – September, 2004

	% of Long-Term Residents with:											% of Short-Term Residents with:		
	Help with Daily Activities	Moderate to Severe Pain	High Risk Residents with Pressure Ulcers	Low Risk Residents with Pressure Ulcers	Physically Restrained	Depressed or Anxious	Loss of Bowel/Bladder Control	Bladder Catheter	Bed/chair Bound	Mobility	Urinary Tract Infection	Acute Confusion (Delirium)	Moderate to Severe Pain	Pressure Ulcers
Smithfield														
Heberts Nursing Home Inc	13% ♦♦	3% ♦♦	24% ♦♦	6% ♦♦	8% ♦	12% ♦♦	46% ♦♦	11% ♦	1% ♦♦	15% ♦♦	12% ♦♦	10% ♦♦	16% ♦♦	25% ♦♦
Heritage Hills Nursing Ctr	13% ♦♦	4% ♦♦	16% ♦♦	2% ♦♦	0% ♦♦♦	7% ♦♦	53% ♦	8% ♦♦	2% ♦♦	15% ♦♦	16% ♦	3% ♦♦	11% ♦♦	21% ♦♦
North Bay Manor	16% ♦♦	N/A	N/A	N/A	10% ♦	12% ♦♦	N/A	N/A	0% ♦♦♦	N/A	10% ♦♦	0% ♦♦♦	23% ♦♦	35% ♦
Woonsocket														
Ballou Home for the Aged	13% ♦♦	1% ♦♦	N/A	0% ♦♦♦	0% ♦♦♦	0% ♦♦♦	16% ♦♦♦	0% ♦♦♦	0% ♦♦♦	8% ♦♦	18% ♦	N/A	N/A	N/A
Friendly Home Inc	16% ♦♦	1% ♦♦♦	11% ♦♦	3% ♦♦	1% ♦♦	8% ♦♦	40% ♦♦	2% ♦♦♦	0% ♦♦♦	10% ♦♦	12% ♦♦	0% ♦♦♦	19% ♦♦	14% ♦♦
Mt St Francis Health Center	12% ♦♦	10% ♦	19% ♦♦	1% ♦♦	5% ♦♦	22% ♦	38% ♦♦	3% ♦♦	4% ♦♦	8% ♦♦	13% ♦♦	7% ♦♦	22% ♦♦	25% ♦♦
Oakland Grove Health Care Ctr	17% ♦♦	7% ♦	12% ♦♦	4% ♦♦	11% ♦	14% ♦♦	32% ♦♦♦	8% ♦♦	8% ♦	16% ♦♦	3% ♦♦♦	1% ♦♦	19% ♦♦	19% ♦♦
Woonsocket Health Centre	8% ♦♦♦	3% ♦♦	26% ♦♦	9% ♦	4% ♦♦	9% ♦♦	52% ♦	5% ♦♦	2% ♦♦	9% ♦♦	11% ♦♦	0% ♦♦♦	24% ♦♦	
State Average	13%	4%	15%	3%	4%	12%	41%	5%	2%	11%	10%	4%	22%	24%
National Average	15%	6%	13%	3%	7%	15%	47%	6%	4%	12%	9%	3%	23%	19%

Note: Diamonds are assigned based on a nursing home's rate compared to other RI nursing homes for that measure.

♦♦♦ Among top 15% of RI nursing homes

♦♦ Among middle 70% of RI nursing homes

♦ Among lower 15% of RI nursing homes

N/A Too few residents to report rate

X Clinical measure information not required from this nursing home

M Data missing

Clinical Measures for Nursing Homes in Washington County
Alphabetical by Town and Nursing Home
July – September, 2004

	% of Long-Term Residents with:											% of Short-Term Residents with:		
	Help with Daily Activities	Moderate to Severe Pain	High Risk Residents with Pressure Ulcers	Low Risk Residents with Pressure Ulcers	Physically Restrained	Depressed or Anxious	Loss of Bowel/Bladder Control	Bladder Catheter	Bed/chair Bound	Mobility	Urinary Tract Infection	Acute Confusion (Delirium)	Moderate to Severe Pain	Pressure Ulcers
North Kingston														
Roberts Health Centre Inc	28% ♦	1% ♦♦	N/A	N/A	6% ♦♦	12% ♦♦	33% ♦♦	10% ♦♦	0% ♦♦♦	27% ♦	18% ♦	0% ♦♦♦	8% ♦♦♦	28% ♦♦
Scalabrini Villa	15% ♦♦	1% ♦♦♦	24% ♦♦	0% ♦♦♦	0% ♦♦♦	12% ♦♦	39% ♦♦	3% ♦♦	1% ♦♦	15% ♦♦	7% ♦♦	N/A	N/A	N/A
South County Nsg & Subacute	14% ♦♦	2% ♦♦	23% ♦♦	3% ♦♦	1% ♦♦	13% ♦♦	69% ♦	6% ♦♦	8% ♦	9% ♦♦	10% ♦♦	13% ♦	20% ♦♦	19% ♦♦
South Kingston														
Scallop Shell Nursing Hme	4% ♦♦♦	6% ♦♦	8% ♦♦	N/A	0% ♦♦♦	14% ♦♦	36% ♦♦	10% ♦	3% ♦♦	4% ♦♦♦	13% ♦♦	0% ♦♦♦	26% ♦♦	13% ♦♦♦
South Bay Manor	X	X	X	X	X	X	X	X	X	X	X	X	X	X
South Kingstown Nurs. & Rehab Ctr	14% ♦♦	1% ♦♦♦	N/A	4% ♦♦	1% ♦♦	16% ♦♦	42% ♦♦	3% ♦♦	1% ♦♦	16% ♦♦	12% ♦♦	4% ♦♦	21% ♦♦	50% ♦
West Kingston														
Shady Acres Inc	21% ♦	3% ♦♦	N/A	N/A	5% ♦♦	2% ♦♦♦	N/A	12% ♦	2% ♦♦	N/A	12% ♦♦	N/A	N/A	N/A
Westerly														
Clipper Home	26% ♦	2% ♦♦	N/A	N/A	0% ♦♦♦	17% ♦♦	45% ♦♦	21% ♦	0% ♦♦♦	27% ♦	6% ♦♦	2% ♦♦	24% ♦♦	21% ♦♦
Watch Hill Manor	N/A	25% ♦	N/A	N/A	0% ♦♦♦	7% ♦♦	N/A	20% ♦	0% ♦♦♦	N/A	7% ♦♦	N/A	N/A	N/A
Westerly Health Center	6% ♦♦♦	17% ♦	23% ♦♦	5% ♦♦	0% ♦♦♦	14% ♦♦	36% ♦♦	7% ♦♦	2% ♦♦	5% ♦♦♦	12% ♦♦	3% ♦♦	52% ♦	36% ♦
Westerly Nursing Home Inc	12% ♦♦	3% ♦♦	N/A	N/A	5% ♦♦	8% ♦♦	N/A	3% ♦♦	2% ♦♦	13% ♦♦	7% ♦♦	N/A	N/A	N/A
State Average	13%	4%	15%	3%	4%	12%	41%	5%	2%	11%	10%	4%	22%	24%
National Average	15%	6%	13%	3%	7%	15%	47%	6%	4%	12%	9%	3%	23%	19%

Note: Diamonds are assigned based on a nursing home's rate compared to other RI nursing homes for that measure.

♦♦♦ Among top 15% of RI nursing homes

♦♦ Among middle 70% of RI nursing homes

♦ Among lower 15% of RI nursing homes

N/A Too few residents to report rate

X Clinical measure information not required from this nursing home

M Data missing